

# XHLI7.R19248 - LIGHT-GAUGE FRAMING CERTIFIED FOR CANADA

## Light-gauge Framing Certified for Canada

See General Information for Light-gauge Framing Certified for Canada

**THE STEEL NETWORK INC**

R19248

2012 TW ALEXANDER DR  
 PO BOX 13887  
 DURHAM, NC 27709-3887 USA

Vertical Deflection Clips: VertiClip SLD150, SLD250, SLD362, SLD400, SLD600 and SLD800, including step bushings, for use with light gauge steel framing utilizing standard ceiling runners or generic deflection channels, in dynamic head-of-wall joint systems with maximum movement capabilities of 3/4 in. (19 mm) compression and 3/4 in. (19 mm) extension.

Vertical Deflection Clips: DriftClip DSLD362/400, DSLD600 and DSLD800, including step bushings, for use with light gauge steel framing utilizing standard ceiling runners or generic deflection channels, in dynamic head-of-wall joint systems with maximum movement capabilities of 1 in. (25 mm) compression and 1 in. (25 mm) extension.

Vertical Deflection Ceiling Runner: VertiTrack VTD or VTX Series 250, 362, 400, 600 and 800 for use in Joint Systems described in Vol 2 of the UL Fire Resistance Directory. The specific System Nos. and the applicable rating information are as follows:

System No.	Rating Hr			
	F	FT	FH	FTH
HW-D-0024	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0025	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0036	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0042	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0043	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4
HW-D-0044	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4
HW-D-0045	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0046	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0047	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0048	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0049	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0062	1,2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4
HW-D-0063	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0066	1 and 2	1 and 2	1 and 2	1 and 2

HW-D-0067	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0068	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0069	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0071	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0072	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0073	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0076	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0077	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0082	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0083	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0084	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0085	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0087	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0089	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0091	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0106	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0152	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4
HW-D-0154	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0160	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0162	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0167	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0184	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0185	1	1	1	1
HW-D-0186	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0190	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0218	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0256	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0353	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0356	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0357	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4
HW-D-0358	1 and 2	1 and 2	1 and 2	1 and 2

HW-D-0368	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0370	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0404	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0409	1, 2, 3, and 4	1, 2, 3, and 4	1, 2, 3, and 4	1, 2, 3, and 4
HW-D-0410	1, 2, 3, and 4	1, 2, 3, and 4	1, 2, 3, and 4	1, 2, 3, and 4
HW-D-0420	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0421	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0453	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0455	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0460	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0461	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0462	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0463	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0468	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0470	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0466	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0491	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4
HW-D-0526	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0527	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0532	2	2	2	2
HW-D-0545	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0687	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0689	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0695	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0696	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0705	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0801	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0826	1	1	1	1
HW-D-0831	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0834	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0835	1 and 2	1 and 2	1 and 2	1 and 2

HW-D-0836	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0847	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0848	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0849	1 and 2	1 and 2	1 and 2	1 and 2

This section of the Procedure covers a light gauge framing accessory identified as VertiTTrack. The finished product consists of a slotted formed steel track. VertiTTrack is supplied in nominal 2-1/2, 3-5/8, 4, 6 and 8 in. sizes designated as the VertiTTrack VT series, 250VT, 362VT, 400VT, 600VT and 800VT with 250-33 or 250-43 suffix for use in joint systems described in Vol 2 of the UL Fire Resistance Directory. The specific System Nos. and the applicable rating information are as follows:.

System No.	Rating Hr			
	F	FT	FH	FTH
HW-D-0043	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4
HW-D-0044	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4	1, 2, 3 and 4
HW-D-0054	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0088	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0099	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0154	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0184	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0194	2	2	2	2
HW-D-0218	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0252	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0259	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0264	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0324	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0363	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0377	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0388	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0456	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0538	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0539	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0540	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0548	2	2	2	2
HW-D-0606	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0639	1 and 2	1 and 2	1 and 2	1 and 2

HW-D-0740	1 and 2	1 and 2	1 and 2	1 and 2
HW-D-0741	1 and 2	1 and 2	1 and 2	1 and 2

Vertical Deflection Ceiling Runner: VertiTrack VTD or VTX Series 358, 400, 600 and 800 for use in Joint System Nos. HW-D-0747, HW-D-0748, HW-D-0749, HW-D-0750.

Last Updated on 2019-03-11

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"